Effective Date: 09/12/2017



NHS MEDICAL POLICY

Laser Hair Follicle Destruction for Hidradenitis Suppurativa Procedure 2017-002

Laser hair follicle destruction may be indicated when ALL the following are present:

- 1 The member has been diagnosed with hidradenitis suppurativa.
- 2 The hidradenitis suppurativa is documented to be ONE of the following:
 - Moderate disease or Hurley stage II (recurrent abscesses with sinus tracts and scarring)
 - Severe disease or Hurley stage III (diffuse involvement with multiple interconnected tracts and abscesses)
- The member has already tried any 3 of the following treatments in any 2 categories without adequate improvement:
 - Oral antibiotic (more than one oral antibiotic course using different antibiotics, may be counted as separate treatments)
 - Oral retinoid (this may include any of the following: acitretin, isotretinoin or alitretinoin)
 - Hormonal therapy (this may include any of the following: oral contraceptives, cyproterone acetate, spironolactone or finasteride)
 - Metformin
 - Cyclosporin
 - Systemic glucocorticoids
 - Adalimumab (Humira)
 - Surgery

SOURCES

- 1. UpToDate.com was accessed Sep 1, 2017: Hidradenitis suppurativa (acne inversa): Treatment
- 2. Tierney E, et al, Randomized control trial for the treatment of hidradenitis suppurativa with a neodymium-doped yttrium aluminium garnet laser. Dermatol Surg. 2009;35(8):1188.
- 3. Xu LY, et al, Histopathologic study of hidradenitis suppurativa following long-pulsed 1064-nm Nd:YAG laser treatment. Arch Dermatol. 2011 Jan;147(1):21-8.
- 4. Jain V and Jain A, Use of Lasers for the Management of Refractory Cases of Hidradenitis Suppurativa and Pilonidal Sinus. J Cutan Aesthet Surg. 2012 Jul-Sep; 5(3): 190–192.
- 5. Highton L, et al, Treatment of hidradenitis suppurativa with intense pulsed light: a prospective study. Plast Reconstr Surg. 2011 Aug;128(2):459-65.
- 6. Lee RA, Eisen DB. Treatment of hidradenitis suppurativa with biologic medications. Journal of the American Academy of Dermatology 2015;73(5 Suppl 1):S82-8.
- 7. Ingram JR, et al. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2015, Issue 10.
- 8. Zouboulis CC, et al. European S1 guideline for the treatment of hidradenitis suppurativa/acne inversa. Journal of the European Academy of Dermatology and Venereology: JEADV. 2015;29(4):619-44.
- 9. Kimball AB, et al. Two phase 3 trials of adalimumab for hidradenitis suppurativa. New England Journal of Medicine 2016;375(5):422-34.
- 10. Martorell A, et al. An update on Hidradenitis Suppurativa (Part I): Epidemiology, clinical aspects, and definition of disease severity. Actas Dermo-Sifiliograficas 2015;106(9):703-15.
- 11. Personal Conversation: Dr. Stanley Tyler Hollmig, Stanford University Medical Center, Department of Dermatology, Sep 7, 2017 (C. Reynoso, MD)

CODE REFERENCE (This may not be a comprehensive list of codes to apply to this policy.)

17999

POLICY HISTORY/REVISION INFORMATION

Date	Action/Description
09/12/2018	Annual review and approval by UM Committee
09/12/2019	Annual review and approval by UM Committee
09/10/2020	Annual review and approval by UM Committee
09/10/2021	Annual review and approval by UM Committee
09/19/2022	Annual review and approval by UM Committee
08/23/2023	Annual review and approval by UM/QM Committee
08/23/2024	Annual review and approval by UM/QM Committee